



Funded by the European Union's H2020 programme

# SYNTHESIS REPORT AND DISSEMINATION CATALOGUE Work package 5: Secure sustainable fruit production

March 2016 – August 2016

# EUFRUIT

	Project documentation sheet
Project acronym	EUFRUIT
Project title	European Fruit Network
Grant Agreement	GA #696337
Call identifier	H2020-ISIB-2015-1
Торіс	ISIB-02-2015
Funding scheme	Coordination and Support Action (CSA)
Project duration	36 months (March 2016 - February 2019)
Project officer	Veerle Lammens
Coordinator	Dr. Michelle Williams, Aarhus University Department of Food Science • AU
Consortium Partners	<ol> <li>Aarhus University, Department of Food Science (Denmark) • AU</li> <li>Research Station for Fruit npo (Belgium) • Pcfruit</li> <li>Centre Technique Interprofessionnel des Fruits et Légumes (France) • CTIFL</li> <li>Obstbauversuchsanstalt Jork (Germany) • OVA</li> <li>Stichting Dienst Landbouwkundig Onderzoek (Netherlands) • StDLO</li> <li>East Malling Research (United Kingdom) • EMR (Terminated 08-02-2016)*</li> <li>Institut de Recerca i Tecnologia Agroalimentàries (Spain) • IRTA</li> <li>Federal Department of Economic Affairs, Education and Research (EAER), acting through Agroscope Institute of Plant Sciences (Switzerland) • Agroscope</li> <li>Laimburg Research Centre for Agriculture and Forestry (Italy) • Laimburg</li> <li>University of Agronomic Sciences and Veterinary Medicine of Bucharest (Romania) • USAMV</li> <li>National Agricultural Research and Innovation Centre Fruitculture Research Institute (Hungary) • NARIC</li> <li>Lithuanian Research Centre for Agriculture and Forestry (Lithuania) • LRCAF</li> <li>Assemblée des Régions Européennes Fruitières, Légumières et Horticoles (France) • AREFHL</li> <li>Elbe-Obst Erzeugerorganisation r.V. (Germany) • EO</li> <li>Fruitconsult BV (Netherlands) • FC</li> <li>University of Greenwich (United Kingdom) • UoG</li> <li>University of Hohenheim (Germany) • UHOH</li> <li>University of Hohenheim (Germany) • UHOH</li> <li>Università di Bologna (Italy) • UNIBO</li> <li>Institut National de la Recherche Agronomique (France) • INRA</li> <li>NIAB EMR • NIAB EMR (New 09-02-2016)*</li> </ol>
Website	http://eufrin.org
Knowledge Platform	http://kp.eufrin.org

\* Partner 6 (EMR) has been transferred to NIAB EMR. NIAB EMR is committed to performing all project tasks previously assigned to EMR. The personnel involved by EMR will continue performing the work in the project.

EUFRUIT Project • H2020 • Grant Agreement #696337 Call: H2020-ISIB-2015-1 • Topic: ISIB-02-2015 D5.1 WP5 Year 1 report & catalogue at month 6 Author: Aarhus University, Department of Food Science

Deliverable documentation sheet			
Number	Deliverable D5.1		
Title	Synthesis report and catalogue of outreach activities		
Related WP	WP5 (Secure sustainable fruit production)		
Related task	Task 5.2 (Synthesising, identifying and prioritising existing knowledge)		
Lead beneficiary	StDLO		
Author(s)	Merete Brønsgaard Henriksen (AU) Marianne Groot (StDLO)		
Contributor(s)	None		
Reviewer(s)	Michelle Williams (AU) Lise Nesgaard (AU)		
Nature	R (Report)		
Dissemination level	PU (Public)		
Due date(s)	Month 6		
Submission date(s)	September 2016		
Status	Ongoing		

Revision sheet			
Issue	Date	Comment	Author
V1.0	23-09-2016	First draft	Merete Brødsgaard Henriksen
V1.1	28-09-2016	Second draft, including synthesis report and dissemination activities	Merete Brødsgaard Henriksen
V1.2	30-09-2016	Final version. Proof corrections	Merete Brødsgaard Henriksen

## DISCLAIMER

The opinion stated in this report reflects the opinion of the authors and not the opinion of the European Commission.

All intellectual property rights are owned by the EUFRUIT consortium members and are protected by the applicable laws. Except where otherwise specified, all document contents are: "©EUFRUIT Project - All rights reserved". Reproduction is not authorised without prior written agreement.

The commercial use of any information contained in this document may require a license from the owner of that information.

All EUFRUIT consortium members are also committed to publish accurate and up to date information and take the greatest care to do so. However, the EUFRUIT consortium members cannot accept liability for any inaccuracies or omissions nor do they accept liability for any direct, indirect, special, consequential or other losses or damages of any kind arising out of the use of this information.

## ACKNOWLEDGEMENT

This document is a deliverable of the EUFRUIT project, which has received funding from the European Union's Horizon 2020 Programme for Research, Technological Development and Demonstration under Grant Agreement (GA) #696337.

## TABLE OF CONTENTS

1. Synthesis report 2016	7
IEG participants	
Synthesis findings	9
Summary for EIP dissemination	
2. Dissemination catalogue of planned and executed activities 2016	

1. Synthesis report 2016



# Synthesis report WP5 Sustainable fruit production

Editor:	ir. M.J. (Marianne) Groot, St.DLO, marianne.groot@wur.nl, +31 488 473712		
Editor partner affiliation:	Stichting dienst Landbouwkundig Onderzoek, P5, StDLO		
	P.O.Box 200, 6670AE Zetten, The Netherlands, www.wur.nl, +31 488 473702		
WP:	WP5		
IEG thematic area:	Sustainable fruit production		

Covered NUTS 3 regions:

Switzerland: CH-Switzerland

Belgium: BE211 (Arrondissement. Antwerpen), 212 (Mechelen), 213 (Turnhout), 221 (Hasselt), 223 (Tongeren), 231 (Aalst), 232 (Dendermonde), 233 (Eeklo), 234 (Gent), 235 (Oudenaarde), 236 (Sint-Niklaas), 241 (Halle-Vilvoorde), 242 (Leuven), 251 (Brugge), 253 (Ieper), 254 (Kortrijk), 257 (Tielt), 258 (Veurne), 310 (Nivelles-Nijvel), 331 (Huy-Hoei), 332 (Liège-Luik), 334 (Waremme-Borgworm)

<u>The Netherlands</u>: NL1-NL4 + NLZ Holland; NL 224 zuidwest Gelderland, NL 226 Arnhem/Nijmegen, NL230 Flevoland, NL310 Utrecht, NL321 Kop van Noord-Holland, Nl322 Alkmaar en omgeving, NL338 oost Zuid-Holland, NL33A zuidoost Zuid-Holland, NL341 Zeeuws-Vlaanderen, NL342 overig Zeeland, Nl411 west Noord-Brabant, NL413 noordoost Noord-Brabant, NL414 zuidoost Noord-Brabant, NL421 noord Limburg, NL423 zuid Limburg

Romania: RO111 Bihor, RO112 Bistriţa-Năsăud, RO113 Cluj, RO114 Maramureş, RO115 Satu Mare, RO116 Sălaj, RO121 Alba, RO122 Braşov, RO123 Covasna, RO124 Harghita, RO125 Mureş, RO126 Sibiu, RO211 Bacău, RO212 Botoșani, RO213 Iași, RO214 Neamţ, RO215 Suceava, RO216 Vaslui, RO221 Brăila, RO222 Buzău, RO223 Constanţa, RO224 Galaţi, RO225 Tulcea, RO226 Vrancea, RO311 Argeş, RO312 Călăraşi, RO313 Dâmboviţa, RO314 Giurgiu, RO315 Ialomiţa, RO316 Prahova, RO317 Telorman, RO321 Bucureşti, RO322 Ilfov, RO411 Dolj, RO412 Gorj, RO413 Mehedinţi, RO414 Olt, RO415 Vâlcea, RO421 Arad, RO422 Caraş-Severin, RO423 Hunedoara, RO424 Timiş

<u>Denmark</u>: DK011 (Copenhagen), DK012 (Copenhagen and its environs), DK013 (North Zealand), DK014 (Bornholm), DK021 (East Zealand), DK022 (West- and South Zealand), DK031 (Funen), DK032 (South Jutland), DK041 (West Jutland), DK042 (East Jutland), DK050 (North Jutland)

<u>Germany</u>: DE6 (Hamburg), DE8 (Mecklenburg-Vorpommern), DE9 (Niedersachsen), DEF0 (Schleswig-Holstein), DEE0 (Sachsen-Anhalt), DEA (Nordrhein-Westfalen), DE111, DE112, DE113, DE114, DE115, DE116, DE117, DE118, DE119, E11A, DE11B, DE11C, DE11D, DE121, DE122, DE123, DE124, DE125, DE126, DE127, DE 128, DE129, DE12A, DE12B, DE12C, DE131, DE132, DE133, DE134, DE135, DE136, DE137, DE138, DE139, DE13A, DE141, DE142, DE143, DE144, DE145, DE146, DE147, DE148, DE149

Italy: ITH51-59 Emilia Romagna region

Spain: ES620 Murcia, ES618 Sevilla

Hungary: HU101, HU102

France: FR8 Méditerranée; FR81 Languedoc-Roussillon, FR6 SUD-OUEST; FR812 Gard

Lithuania: LT-002 Kauno apskritis

Reporting period:	Y1
	[Y1 report due August 2016, Y2 report due August 2017, Y3 report due August 2018]
No. IEG members:	Total: 15
	Male: 12
	Female: 3

## **IEG** participants

Name	Organization short name <sup>1</sup>	Type <sup>2</sup>	Scanning included?	No. reports / organization
Joan Bonany	IRTA			
Evelyne Costes	INRA	RTO	Yes	2
Marianne Groot	StDLO	RTO		1
Eric van der Hoeff	FC	SME	Yes	1
Martin Jensen	AU	RTO	Yes	3
Karsten Klopp	OVA	RTO	Yes	1
Thomas Kuster	AGROSCOPE	RTO	Yes	3
Rien van der Maas	StDLO	RTO	Yes	1
Brunella Morandi	UNIBO	RTO	Yes	2
Serge Remy	PCFRUIT	RTO	Yes	2
Florin Stanica	USAMV	RTO	Yes	1
Michael Zoth	KOB	RTO	Yes	1
Mathieu Vincent	CTIFL	RTO	Yes	1
Geza Bujdoso	NARIC	RTO	Yes	1
Giedrė Samuolienė	LRCAF	RTO	Yes	1
Scanning reports from others				
Antonio Diaz-Espejo	CSIC	Other	Yes	1
Diego Intrigliolo	CSIC	Other	Yes	1
Jean-François Berthoumieu	ACMG	RTO	Yes	1

<sup>&</sup>lt;sup>1</sup> If an EUFRUIT project partner, use EUFRUIT partner short name, if a contributing organization designate a partner short name <sup>2</sup> Farm holder/grower, advisor/consultant, research institute/RSO, SME, NGO or other

### Synthesis findings

This work package, sustainable fruit production, has three focus themes: thinning, water/nutrients and organic/IPM. During the meeting of the group, scanning reports were presented, giving an overview on the current status of best practices of sustainable production that growers apply today as well as recent developments in sustainable fruit production that are in the pipeline.

Developments for the future are:

Thinning: DSS, decision support models as a tool that can help growers to make decisions about thinning, through measuring the reaction of the trees

Water/nutrients: (1) modelling combined with sensors, soil and plant based and (2) a portal or service to combine and/or integrate models for several subjects

Organic/IPM: side netting against insects, biodiversity and the use of big data.

#### Overview of best practices:

#### Thinning:

For apple, chemical thinning with various products is used in Denmark, The Netherlands, Belgium, Germany, France and Switzerland.

In Denmark, mechanical thinning is fairly new, but is getting more used, sometimes in combination with chemical methods. Organic thinning, using NaCl, has been attempted on apple in Denmark.

In The Netherlands, mechanical thinning is hardly used because its results with, for example, the Darwin thinner, have shown too much fluctuation. Besides that, the often-used spindle shape (80-100 cm trees) is less suitable for this machine.

In Germany the so called crop load control or thinning can be done by the use of a few chemical compounds, resp. hormonal acting agents. As an alternative the mechanical blossom thinning becomes more common, using thinning machines like the DARWIN device or others.

In France, most of the studies for mechanical thinning have been done with Darwin machine.

In Italy, for peach no chemical thinning is available and mechanical thinning is used, but still needs improvement.

Fruit thinning is not used in the Hungarian sweet cherry production. If the crop load is heavy, the leaf – fruit ratio must be reach 8 to 9 leaves per fruit to have optimal fruit size. Thinning can be made after the petal fall with hands.

#### Water/nutrients

For Switzerland, irrigation is less important as for other countries with an exception for some regional cultural-specific expectations, like apricots in the canton of Valais and cherries under rain cover.

For Denmark: in fruit orchards drip irrigation every 50 cm in row or at planting position is normally applied the first 3 years after planting, and thereafter normally very limited only in draught situations. In intensive apple, pear and stone fruit drip irrigation is very common. In strawberries irrigation is necessary in harvest years, both before and after flowering and in autumn to ensure flower bud development. The Danish law sets a maximum for fertilizer application. Typically most tree fruit is fertilized less than the norm to control vegetative growth.

In The Netherlands the IRRY water model was used, but more recently watermarks are used to decide about the amount of water to be given.

Unlike in some other European countries, irrigation is not done in apple growing in Belgium. Yearly around 60 pear growers get orchard specific advice for irrigation and fertigation. Despite the demonstrated positive effects of irrigation on fruit size, this number of supported 'Conference' growers is only increasing slowly. Via soil sample analysis, leaf mineral analysis, fruit set and a soil water balance model a weekly advice is given to pear growers that subscribe to the PWARO

service, which tells them how much irrigation should be done (in mm/m<sup>2</sup>) in the following week as well as whether fertigation is required.

In the south-west part of France, growers who have decided to apply precise irrigation are mainly producers of kiwi, hazelnut, walnut, prune and sometimes, apple, pears, peaches and apricots. The main reason is because they see that a better irrigation will benefit in a better quality of fruits and a longer storage possibility. The other reasons as saving water, fertilizer and energy are known but were not the main argument for the decision to invest in capacitances probes and expertise.

In southern Europe (Spain and Italy) the use of shading nets is mentioned as a method to reduce water needs.

Water scarcity in semiarid regions of Europe, like in Spain, threatens the sustainability of fruit tree orchards unless irrigation water is optimized and scheduled in deficit irrigation strategies. The correct use of the most successful deficit irrigation strategies, such as regulated deficit irrigation requires both a good understanding of demands of the crop at different phenological stages and physiological mechanisms involved in the response of plants to water stress, and the use of reliable and sensitive indicators of water stress.

In Italy an experts system for irrigation scheduling and a DSS to manage irrigation and crop level are mentioned. The service of the experts system is web and GIS based, and provides an 'irrigation advice' for a large number of water demanding crops, making use of several data sources as meteorological and soil data from local services and crop parameters. The system calculates a crop water balance at daily step and at field scale, adapted to the crop characteristic, simulated or inputted by the farmer. The DS is based on a protocol to monitor fruit growth rate during the season and forecast fruit size classes distribution at harvest. Based on these data the system releases to the grower real time feedbacks on the orchard irrigation management and indicates whether crop load needs to be adjusted.

The average Hungarian sweet cherry orchards aren't irrigated, because the natural precipitation (550 to 700 mm annual yearly precipitation) might be enough for growing this crop among extensive conditions. The intensive orchards are irrigated, the growers use drip irrigation or micro sprinklers to water them.

Research in Lithuania: major attention was concentrated for analysis of morphological, biochemical peculiarities of the aboveground part of the trees (apple tree 'Auksis' grafted on MM.106, M.26, B.118, M.9, P 60, P 59, P 2, B.396, P 22 rootstocks) and evaluation of how they are affected by water deficiency. Results showed that the drought evoked photosynthetic pigments system adaptation mechanisms of all apple rootstocks except P 22. Tendency for changes in phytohormones and sugars content under drought stress of various extent was not established. Apple rootstocks M.26, M.9, P 2 and B.396 were the most drought sensitive. P 22, B.118 and P 60 were more resistant to drought.

#### Organic/IPM

Organic production is increasing in Denmark following the large and increasing demand by Danish consumers. For apple 21 % of total area was organic in 2014 but only 4.9 % in pear. Organic treatment strategies for a full season are available for apple, pear, sweet and sour cherry, black and red currant and strawberries outside.

For Germany: Spraying intervals and exact timing of pesticide use in the vegetation periods of berry plants allow the fruit producers to use various pesticides and in the same time prevents detectable residues in the harvested berries. Using the recommended and developed spray schedules insures integrated fruit production and in the same time retailer demands. Holthusen (2016) estimated that 90% of apple growers in northern Germany use this method. Growing berry fruits under cover, (protected production) augments in the last two years in Northern Germany. Advantages: less herbicide use, less insecticide use, less fungicide use, higher yield/m<sup>2</sup> and assured harvests without the influence of rainfall and other weather phenomena's, therefore better quality. Up to 60% of the northern strawberry producers use a reduced spraying sequence of classical fungicides supported by beneficial organisms.

In Romania, the organic agriculture increased the last years. According FAO statistics, of the organic cultivated orchards, approximately 86% are under conversion and only 14% are certified. For the organic fruit growing in Romania, six factors are important:: apple scab resistant varieties; the use of ameliorative plants in soil preparation for planting; almost all organic fruit tree growers use pheromone traps for monitoring and risk assessment of pests; the protection and

monitoring of useful orchard fauna; alternative organic pesticides and in many orchards mechanical weed control is used as an alternative for herbicides.

#### The recent developments per theme:

#### Thinning:

In Denmark, mechanical thinning by hand held equipment or tractor driven machines with flower stripper is fairly new.

In research for France, the prediction of flowering time is a new development. From long time series of flowering time observation, models can be inferred and used to predict flowering time in a given year or in climatic scenarios for the future. For thinning, the integration of fruit set capability and self-thinning trait in new varieties and the use of models to predict fruit set depending on fruit load and climatic conditions are new. Making decision tool(s): the goal is to find a simple diagnostic for witch the information will directly come from molecular markers and genes expressions.

In Italy, mechanical thinning is considered a very promising approach for crop load management in peach, where chemical strategies are not available and the hand thinning is very expensive due to the high amount of hours needed. The various benefits obtained (higher fruit quality, lower needs for hand thinning) make this approach extremely convenient for peach growers who can apply it also for organic productions

The efficacy of the new thinning product Brevis is evaluated in several European countries (at least in Switzerland, The Netherlands, Belgium, Spain, Italy, France, Germany)

In Switzerland, experiments on thinning sweet cherries with a high crop load were done in 2004, 2005, 2006 and again in 2015. Besides hand thinning, also chemical products were evaluated (ATS, BA, NAA, Metamitron). So far, thinning of sweet cherries was not successful: either there was no thinning effect, or if the crop load was reduced, the increase in fruit size was not high enough to compensate a smaller harvest.

#### Water/nutrients:

For The Netherlands: wireless reading of Watermark: data collection in the field by sensors wired with dataloggers with electrical loading by sun cells and wireless communication to the PC via GSM and an internet based application of IRRY.

In Belgium, irrigation and fertigation in soil-grown strawberry is a standard practice, but precise steering of the system is lacking and is based on the grower's experience and interpretation of the plant growth and production, as well as the (predicted) rainfall. Within the framework of an ongoing project at pcfruit guidelines are under development to determine the irrigation and nitrogen thresholds as well as the optimal application strategies with the final aim to minimize water and nitrogen inputs and losses due to leaching and at the same time improve strawberry quality.

Recent developments in France: derive indices of water stress tree status from airborne images. Applied to apple progenies and pre-selected material. Model the impact of water restriction of tree development and fruiting capability. In south-west of France the next step in irrigation is automatization of the irrigation including RDI on light soils (not verified here on clay soils).

In Italy subsurface irrigation is recently implemented. This strategy, foresees an underground water distribution thanks to pipelines and irrigators buried slightly under the cultivated row, with a frequent but low irrigation rate lasting during the daily light period. Subsurface irrigation has the clear advantage of reducing evaporative water losses, while increasing the distribution efficiency, allowing a higher volume of wet soil; a reduction in the amount of water used for irrigation; a better management of drought periods; a lower weed growth and, consequently, lower needs for herbicides treatments on the surface.

In Spain soil water evaporation should be reduced as much as possible in order to achieve high irrigation efficiency. This can be done by mulching, innovative canopy forms or reducing fruit load.

For the use of sensitive indicators of water stress, special attention has been paid in Spain to plant-based methods, since plant measurements have the advantage of integrating the soil and atmospheric water status, as well as the

response of the plant to the surrounding conditions. New methods have been developed for non-destructive, automatic and continuous measurements, such as dendrometers sap flow and turgor-related probes.

Field experiments in Switzerland for sweet cherry under rain cover, the treatment "micro-sprinkler every second day" was economically most successful with the highest benefits of the four treatments, whereas the balance of the other treatments was in some years in deficit.

#### Organic/IPM

In Denmark, the scientific testing of covering of apple and pear with plastic roofs to avoid direct precipitation on fruit and leaves is ongoing to avoid apple scab attack and several years results seems very promising, almost an on off effect of infection. Dry fruit do not get scab at all or very limited. Challenge is cost and stability of roofs. Hot water treatment of apples to avoid storage rots has been demonstrated to be efficient and is now slowly moving into industry following development of treatment equipment.

In Germany, the berry fruit research Station northern Germany situated in Langförden (Berry compartment of the ESTEBURG) is working since two years intensely on research in protected production. Key aspects, variety and growing method testing of different species of berry fruits under cover, to find the appropriate varieties and methods for sustainable berry fruit production. An experiment of different growing containers as Air pot, Bato pot, and models from Beekenkamp is set for the next two years to evaluate root growing, plant development and phytosanitary conditions. The experiment takes place in the cultivation of Raspberries, Blueberries. Substrate aggregates and substrates are tested with different varieties to get knowledge about which variety needs which substrate and which nutrition method. Different water storing substrates are tested to avoid drain to reduce water- and fertilizer wastage. (Koschnick 2016)

In Romania, apple scab resistant varieties are tested as well as ameliorative plants in soil preparation before planting, many species of useful orchard fauna, alternatives for organic pesticides and natural compounds to induce plant resistance.

Research in Switzerland showed for hail nets with side nets that concerning pest insects, the codling moth was successfully reduced in plots with side nets compared to control plots without side nets. Effects on beneficial or other pest insects are still evaluated. Meteorological and physiological measurements have only just started

#### Summary for EIP dissemination

Project title: EUFRUIT: European Fruit Network

Keywords: thinning, water, nutrients, IPM, organic

**Summary:** This work package, sustainable fruit production, has three focus themes: thinning, water/nutrients and organic/IPM. During the meeting of the group, scanning reports were presented, giving an overview on the current status of best practices of sustainable production that growers apply today as well as recent developments in sustainable fruit production that are in the pipeline. Developments for the future are:

Thinning: DSS, decision support models as a tool that can help growers to make decisions about thinning, through measuring the reaction of the trees

Water/nutrients: (1) modelling combined with sensors, soil and plant based and (2) a portal or service to combine and/or integrate models for several subjects

Organic/IPM: side netting against insects, biodiversity and the use of big data.

#### **Contact information**

EIG editor:	M.J. (Marianne) Groot, St.DLO, marianne.groot@wur.nl, +31 488 473712
Project coordinator:	Michelle H. Williams; Aarhus University, Department of Food Science, Kirstinebjergvej 10, 5792 Aarslev, Denmark; mw@food.au.dk; +45 25170049
Contributing project pa	rtners: IRTA, INRA, StDLO, FC, AU, OVA, Agroscope, UNIBO, Pcfruit, USAMV, KOB, CTIFL, NARIC, LRCAF
Additional contributors:	Antonio Diaz-Espejo and Diego Intrigliolo both from CSIC (Spanish National Research Council) and Jean-François Berthoumieu of ACMG (RTO).
Project period:	2016 - 2019
Project status:	Ongoing
Funded by:	Horizon 2020
Total budget:	€1.8m
Project web page:	www.eufrin.org

Geographical regions:

Switzerland: CH-Switzerland

- <u>Belgium</u>: BE211 (Arrondissement. Antwerpen), 212 (Mechelen), 213 (Turnhout), 221 (Hasselt), 223 (Tongeren), 231 (Aalst), 232 (Dendermonde), 233 (Eeklo), 234 (Gent), 235 (Oudenaarde), 236 (Sint-Niklaas), 241 (Halle-Vilvoorde), 242 (Leuven), 251 (Brugge), 253 (leper), 254 (Kortrijk), 257 (Tielt), 258 (Veurne), 310 (Nivelles-Nijvel), 331 (Huy-Hoei), 332 (Liège-Luik), 334 (Waremme-Borgworm)
- <u>The Netherlands</u>: NL1-NL4 + NLZ Holland; NL 224 zuidwest Gelderland, NL 226 Arnhem/Nijmegen, NL230 Flevoland, NL310 Utrecht, NL321 Kop van Noord-Holland, Nl322 Alkmaar en omgeving, NL338 oost Zuid-Holland, NL33A zuidoost Zuid-Holland, NL341 Zeeuws-Vlaanderen, NL342 overig Zeeland, Nl411 west Noord-Brabant, NL413 noordoost Noord-Brabant, NL414 zuidoost Noord-Brabant, NL421 noord Limburg, NL423 zuid Limburg
- Romania: RO111 Bihor, RO112 Bistriţa-Năsăud, RO113 Cluj, RO114 Maramureş, RO115 Satu Mare, RO116 Sălaj, RO121 Alba, RO122 Braşov, RO123 Covasna, RO124 Harghita, RO125 Mureş, RO126 Sibiu, RO211 Bacău, RO212 Botoşani, RO213 Iaşi, RO214 Neamţ, RO215 Suceava, RO216 Vaslui, RO221 Brăila, RO222 Buzău, RO223 Constanţa, RO224 Galaţi, RO225 Tulcea, RO226 Vrancea, RO311 Argeş, RO312 Călăraşi, RO313 Dâmboviţa, RO314 Giurgiu, RO315 Ialomiţa, RO316 Prahova, RO317 Telorman, RO321 Bucureşti, RO322 Ilfov, RO411 Dolj, RO412 Gorj, RO413 Mehedinţi, RO414 Olt, RO415 Vâlcea, RO421 Arad, RO422 Caraş-Severin, RO423 Hunedoara, RO424 Timiş
- <u>Denmark</u>: DK011 (Copenhagen), DK012 (Copenhagen and its environs), DK013 (North Zealand), DK014 (Bornholm), DK021 (East Zealand), DK022 (West- and South Zealand), DK031 (Funen), DK032 (South Jutland), DK041 (West Jutland), DK042 (East Jutland), DK050 (North Jutland)
- <u>Germany</u>: DE6 (Hamburg), DE8 (Mecklenburg-Vorpommern), DE9 (Niedersachsen), DEF0 (Schleswig-Holstein), DEE0 (Sachsen-Anhalt), DEA (Nordrhein-Westfalen), DE111, DE112, DE113, DE114, DE115, DE116, DE117, DE118, DE119, E11A, DE11B, DE11C, DE11D, DE121, DE122, DE123, DE124, DE125, DE126, DE127, DE 128, DE129, DE12A, DE12B, DE12C, DE131, DE132, DE133, DE134, DE135, DE136, DE137, DE138, DE139, DE13A, DE141, DE142, DE143, DE144, DE145, DE146, DE147, DE148, DE149

Italy: ITH51-59 Emilia Romagna region

Spain: ES620 Murcia, ES618 Sevilla

Hungary: HU101, HU102

France: FR8 Méditerranée; FR81 Languedoc-Roussillon, FR6 SUD-OUEST; FR812 Gard

Lithuania: LT-002 Kauno apskritis

# 2. Dissemination catalogue of planned and executed activities 2016

Activity types	Executed	Additionally planned the 1. year	
, ,,	No. activities	No. participants	No. activities
A. Participation in	·		
A3: Scientific conference	AU: 2, PCFRUIT: 2; AGROSCOPE: 1; LAIMBURG: 5; UNIBO: 1; INRA:1	Total: 827 Female: 205 Male: 622	AU: 1; StDLO: 1; LRCAF: 2; UNIBO: 2; INRA: 3
A4: Industry event or exhibit	IRTA: 1; AGROSCOPE:1; LRCAF: 1; LAIMBURG: 1	Total: 1.070 Female: 815 Male: 255	
A5: Other stakeholder meeting	PCFRUIT: 5; LAIMBURG: 7	Total: 550 Female: 146 Male: 404	
A6: Event aimed at general public	AU: 1; LAIMBURG: 4	Total: 27.435 Female: 16.310 Male: 11.125	AGROSCOPE: 1; LRCAF: 1; INRA: 1
B. Organising/holding	·		
B1: Seminar/lecture-based workshops	AU: 2; AGROSCOPE: 1; LAIMBURG: 2; NARIC: 1; LRCAF: 2; UNIBO: 2; INRA: 1	Total: 360 Female: 74 Male: 286	AGROSCOPE: 2; USAMV: 1; FC: 1; UNIBO: 1
B2: Field-based workshops	AU: 1	Total: 8 Female: 4 Male: 4	IRTA: 3, FC: 1
B3: Open demonstration day	AU: 3; PCFRUIT: 5; StDLO: 1; USAMV: 2; FC: 3	Total: 1.238 Female: 228 Male: 1010	AU: 2; PCFRUIT: 1
B4: Field visit	AGROSCOPE: 1	Total: 15 Female: 0 Male: 15	LRCAF: 1
B5: Industry group meeting/event	AU: 2; LRCAF: 1	Total: 27 Female: 11 Male: 16	
B6: Other stakeholder meeting/event	FC: 1	Total: 40 Female: 3 Male: 37	AGROSCOPE: 1

	LAIMBURG: 3	Total: 50	AGROSCOPE: 1
B7: event aimed at general		Female: 23	
public		Male: 27	
C. Publication of			·
	NARIC: 2	Total:	INRA: 1
C5: Book/booklet/chapter		Female:	
		Male:	
D. Publication in			
	INRA: 1	Total:	PCFRUIT: 1; INRA: 2
D1: Scientific journal (peer		Female:	
review)		Male:	
	AU: 14	Total:	StDLO: 1
D3: Industri journal/magazine		Female:	
		Male:	
	PCFRUIT: 2; LAIMBURG: 1	Total:	
D4: Other stakeholder		Female:	
journal/magazine		Male:	
	LAIMBURG: 1	Total:	
D5: Journal/magazine aimed at		Female:	
general public		Male:	